

EXPERTS IN TESTING AND CERTIFICATION SINCE 1954



42777 TRADE WEST DRIVE, STERLING, VA 20166

571-300-7050 | EXPERTS@CAPITALTESTING.ORG | WWW.CAPITALTESTING.ORG

FORMERLY HPVA LABORATORIES®

Certificate Of EPA TSCA Title VI & CARB Compliance

Capital TestingSM officially recognizes the following mill's production as certified to meet all requirements established in EPA TSCA Title VI 40 CFR Part 770 *Formaldehyde Emission Standards for Composite Wood Products* and Section 93120.2, Title 17, California Code of Regulations, Final Regulation Order, *Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products (ATCM)*.

This mill has demonstrated conformance and commitment to the quality control procedures and testing requirements necessary to ensure production meets the CARB and TSCA Title VI requirements for the hardwood plywood products listed below. These products, as defined by the mill's quality control manual, may now carry the CARB TPC-8 label.

Timber Products

1418 Sage Rd., Medford, OR 97501

PRODUCTS:

Veneer Core Hardwood Plywood – UF Resin: CARB and TSCA Title VI ULEF Exempt*

Composite Core Hardwood Plywood – UF Resin: CARB and TSCA Title VI ULEF Exempt*

Veneer Core Hardwood Plywood – PVA Resin: CARB Phase 2 and TSCA Title VI Certified

Composite Core Hardwood Plywood – PVA Resin: CARB Phase 2 and TSCA Title VI Certified

Veneer Core Hardwood Plywood – PF Resin: CARB Phase 2 and TSCA Title VI Certified

Effective Date:
August 1st, 2022

Re-Issue Date:
August 1st, 2023

Expiration Date:
August 31st, 2024



A handwritten signature in blue ink that reads "Josh Hosen".

Josh Hosen,
Managing Director, Capital TestingSM

*For current CARB exemption status, visit: <https://bit.ly/2yiCY2a>.

Verify this certificate is current by visiting our product certification directory:
<https://www.capitaltesting.org/product-certification-directory>