



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE  
PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8140-2343:0500
<b>PARENT LISTING No.:</b>	8140-2020:0001
<b>CATEGORY:</b>	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Timber Products Company 1090 SE M Street, Grants Pass, OR, 97526 Contact: Brazill, Jon 541-479-8156 Email: jbrazell@timberproducts.com
<b>DESIGN:</b>	Timber Products "APA 303@" plywood siding with shiplap edges, nominal 19/32" thick (19/32 Performance Category) or greater, grooves spaced no closer than 4" on center or without grooves, and manufactured with veneers of Douglas Fir face, back, and center with cross ply veneers of PS1 Group 2 species, 4'x8' or taller panel.  Refer to the manufacturer's installation instruction and product data sheets.
<b>RATING:</b>	Compliance in accordance with Chapter 7A of the California Building Code.
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee's name, model number, rating, and SFM label.
<b>APPROVAL:</b>	Listed as exterior siding for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.
<b>NOTES:</b>	Test Protocol SFM 12-7A-1

10-19-21 VWW



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 06/26/2026**

**Listing Expires: 06/30/2027**



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE  
PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

Authorized By: **Michael Huang** , Program Coordinator  
Fire Engineering & Investigations Division



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE  
PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8140-2343:0501
<b>PARENT LISTING No.:</b>	8140-2020:0002
<b>CATEGORY:</b>	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Timber Products Company 1090 SE M Street, Grants Pass, OR, 97526 Contact: Brazill, Jon 541-479-8156 Email: jbrazell@timberproducts.com
<b>DESIGN:</b>	Timber Products "APA 303@" plywood siding with reverse-board and batten, nominal 19/32" thick (19/32 Performance Category) or greater, grooves spaced no closer than 12" on center or without grooves, manufactured with face, back, and center of Douglas Fir veneers and cross ply veneers of PS1 Group 2 species, 4'x8' or taller panel.  Refer to the manufacturer's installation instructions and product data sheets.
<b>RATING:</b>	Compliance in accordance with Chapter 7A of the California Building Code.
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee's name, model number, rating, and SFM label.
<b>APPROVAL:</b>	Listed as exterior siding for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.
<b>NOTES:</b>	Test Protocol SFM 12-7A-1

10-19-21 VWW



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 06/26/2026**

**Listing Expires: 06/30/2027**



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE  
PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

Authorized By: **Michael Huang** , Program Coordinator  
Fire Engineering & Investigations Division



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8140-2343:0502
<b>CATEGORY:</b>	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Timber Products Company 1090 SE M Street, Grants Pass, OR, 97526 Contact: Brazill, Jon 541-479-8156 Email: jbrazill@timberproducts.com
<b>DESIGN:</b>	Timber Products "APA 303®" 5-Ply Plywood Siding with Okoume Reverse Board and Batten, nominal 19/32" thick, 1-1/2" groove width or smaller with spacing 12" or larger, 4' x 8' or taller panel. Installed on nominal 2" x 4" studs, 16" O.C., and fastened with 8d (2-1/2") nails.  Refer to the manufacturer's installation instructions and product data sheets.
<b>RATING:</b>	SFM 12-7A-1
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee's name, model number, rating, and SFM label.
<b>APPROVAL:</b>	Listed as exterior wall siding material for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details. Model complies with the applicable requirements in SFM 12-7A-1.
<b>NOTES:</b>	

6-22-23 VWW



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 06/26/2026**

**Listing Expires: 06/30/2027**



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

Authorized By: **Michael Huang**, Program Coordinator  
Fire Engineering & Investigations Division



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8140-2343:0503
<b>CATEGORY:</b>	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Timber Products Company 1090 SE M Street, Grants Pass, OR, 97526 Contact: Brazill, Jon 541-479-8156 Email: jbrazell@timberproducts.com
<b>DESIGN:</b>	Timber Products "APA 303®" 5-Ply Plywood Siding with Okoume T1-11, nominal 19/32" thick, 5/16" groove width or smaller with spacing 4" or larger, 4' x 8' or taller panel. Installed on nominal 2" x 4" studs, 16" O.C., and fastened with 8d (2-1/2") nails.  Refer to the manufacturer's installation instructions and product data sheets.
<b>RATING:</b>	SFM 12-7A-1
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee's name, model number, rating, and SFM label.
<b>APPROVAL:</b>	Listed as exterior wall siding material for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details. Model complies with the applicable requirements in SFM 12-7A-1.
<b>NOTES:</b>	

6-22-23 VWW



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 06/26/2026**

**Listing Expires: 06/30/2027**



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

Authorized By: **Michael Huang**, Program Coordinator  
Fire Engineering & Investigations Division